

TECHNICAL DETAILS

Height	3030 mm
Width	590 mm [face size]
Thickness	11mm
Substrate	Meditate 9mm moisture resistant MDF
Face	VFP grade Formica [®] High Pressure Decorative Laminate Surface.
Compensator	VBF grade fire resistant backing laminate
Edge Details	Long edges tongue & grooved with short edges square & clean cut
Extrusions	SAA, 3030mm long. [*] Note extrusions can be powder coated to suit specified colour selection
Fire Rating	Class 1 surface spread of flame as standard BS476 Part 7

LIGHT REFLECTIVE VALUES

	LRV
KASHMIR	25.6
WHITE	81.5
ELDORADO	61.2
MAGNOLIA	78.3
TORNADO	32.3
DIAMOND BLACK	6.7
OTTER	34.4
TERRACOTA	27.9
EARTH LINEWOOD	20.0
MAUI	42.1
ENERGY	23.9
GRAPHITE	10.8
STORM	14.8
SURF	69.4
FOLKESTONE	53.5
LEAF GREEN	33.6
JUST BLUE	45.2
DENIM	16.1
JUST ROSE	65.7
CONCRETE FORMWOOD	49.0
ELEMENTAL ASH	53.0
TRAVERTINE SILVER	51.3
CALCATTI MARBLE	63.8
ELEMENTAL CONCRETE	38.5
ELEMENTAL CORTEN	13.8
DENIM TWILL	11.5
SARUM TWILL	35.1
GRAPHITE TWILL	11.3
DELANO OAK	31.5
RURAL OAK	32.9
WHITE ASH	69.7
NATURAL ASH	53.3
BLACKENED LEGNO	8.0
ASHEN RIBBONWOOD	43.0

TOP SEAL COLOUR MATCH

Décor	Décor Code	TopSeal Match
Diamond Black	F2253	TS290010
Rural Oak	F8853	TS290013
Elemental Ash	F6363	TS290019
Folkestone	F7927	
White Ash	F8841	TS290022
Calacatta Marble	F3460	TS290028
Ashen Ribbonwood	F8839	TS290029
Delano Oak	F8966	
Otter	F3202	
Tornado	F1535	TS290033
Elemental Concrete	F8830	
Sarum Twill	F8827	
Concrete Formwood	F6362	TS290034
Travertine Silver	F3458	
Storm	F7912	TS290037
Natural Ash	F8843	TS290040
Magnolia	F1534	TS290041
Blackened Legno	F8848	TS290051
Graphite	F7837	
Graphite Twill	F8829	
Just Rose	F8858	TS290066
Maui	F5347	TS290067
Denim Twill	F8814	TS290068
White	F0949	TS290069
Kashmir	F0187	TS290070
Earth	F5342	TS290071
Eldorado	F1532	TS290072
Leaf Green	F8820	TS290073
Elemental Corten	F8832	TS290074
Denim	F8822	TS290075
Just Blue	F8821	TS290076
Energy	F5348	TS290079
Terracotta	F4161	TS290078